



## Automatic tensioning finisher for classic coats, overcoats and similar

- Automatic "tensioning" finisher for classic coats, overcoats and similar garments, for central steam and compressed air supply or with electric and automatic steam boiler.
- Working cycle by etr card with 9 stored finishing programs very easy to modify.
- Telescopic shape till 1500 mm.
- Special 350° revolving "body" form plus automatic "front & rear" paddle clamps.
- Sensor for the "automatic research of the height" of the garment.
- Double "antistretching" system in large (waist) and in height (length).
- Mechanical adjustable shoulder group and dedicated "collar" clamp.
- Damper for air-volume regulation.

Technical Specifications	MC 105 without boiler	MC 105 with boiler
Voltage	230-400-440V/3/50-60 Hz	230-400-440V/3/50-60 Hz
Electric powers	1,1 kW	9,4 kW
Steam inlet	G1/2" 5/6 bar (72/87 psi)	--
Air inlet	G1/4" 6/8 bar (7/116 psi)	G1/4" 6/8 bar (7/116 psi)
Return outlet	G1/2"	--
Steam working pressure	--	5 bar (72 psi)
Air working pressure	6 bar	6 bar
Steam consumption	10/15 kg/h	--
Air consumption	5 NL/min	5 NL/min
Fan motor	1,48 HP	1,48 HP
Overall dimensions	670x950x1600-2320 mm	670x1150x1600-2320 mm
Net weight	150 kg	165 kg
Gross weight (crate)	210 kg	235 kg
Packing dimensions	1320x1170x1750 mm	1320x1170x1750 mm

### Options

- Steam iron assembly "all steam".
- Pneumatic clamps for side vents.
- Adjustable air-blowing volume by INR with regulation speed motor 0/3400 RPM.

The firm reserves the right to make any necessary modification without notice.